Bio	laid	_	7
	uiu		

	Calainer abaanhariana 2V		
Composition	Calcium phosphoricum 3X		
	Ferrum phosphoricum 3X		
	Kalium phosphoricum 3X		
	Natrium phosphoricum 3X		
	Natrium sulfuricum 3X		
	Traditionally used as supportive treatment in diabetes.		
Indication	Increased micturition (passing of urine); pain in calves; thirst; dry lips;		
	sleeplessness; nervous prostration. All chronic cases with liver		
	disorders. Recommended as a remedy to support the patient's state of		
	health; as it helps to assimilate glucose. (Kidney and nerve functions		
	impaired by diabetes are improved.)		
Dosage	Ad Adults 4 tablets, children 2 tablets at a time, 3 to 4 times daily or as		
	prescribed by the physician.		
Contraindication	There is no known contraindication.		
Contraindication	iranuication i nere is no known contraindication.		
Side effects	No significant side effect has been reported in therapeutic dosages.		
Side circus	rto significant side cirect nas been reported in thorapeutic dosages.		
Dresoution	Keen out of much of children		
Precaution Keep out of reach of children.			
<b>D</b> ecomptotion 25 and in DET hottle and 100 arm (450 arm in Containing			
Presentation	25 gm in PET bottle and 100 gm / 450 gm in Container.		
Storage Condition	Keep at a cool and dry place, Protected from light & moisture.		
Storage Condition Reep at a coor and dry place, Protected from light & moisture.			